ITEM # 10 - New standard equipped **2007 Model 15000 LB. GVWR Chassis-Cab With DRW.**
ACCEPTABLE MAKES AND MODELS:
Standard Ford Super Duty F450 with 165" Wheelbase, Cab to Axle 84"
Standard Chevrolet/GMC C4500 Model C4C042 with 152.0" Wheelbase Cab to Axle 84"
All units bid must contain the following options:

1. Standard minimum V8 diesel engine
2. 4 speed automatic transmission
3. Air conditioning
4. LH & RH manual trailer-type mirrors
5. Spare tire and wheel
6. Rubber floor mats
7. Minimum GVWR 15,000 LB
8. Brakes 4-wheel anti-lock braking system (ABS)
9. Speed control and tilt wheel

OPTIONAL EQUIPMENT PRICES, Item # 10

Option 10A. Mounted 12' platform body meeting Specification E1320.

Option 10B. Mounted 11' platform dump body meeting Specification E1327.

Option 10C. **Permanently installed bulkhead to fit truck application (minimum requirement to top of cab).**

Option 10D. **Provide live hydraulics with under hood clutch pump, tank with built in filter, 20 GPM 3 section valve assembly with power beyond, dual knob spreader valve and hoses for mounted dump body in specification E1335 or mounted platform body in specification E1327. This package shall be capable of driving the auger, spinner motor in an salt spreader, and power to raise angle plow. All hoses shall be provided from front to rear of truck.**

Option 10E. **Mounted standard utility tool body. Acceptable makes and models are: Knapeheide 6132D54J , Reading CLASSIC II 132A DW, Omaha 132D54V, Stahl CHALLENGER II 132VVD-54. Body to include flush mounted tail, stop, turn, backup and clearance lights as required per FMVSS 108 standards. Unit must include a tread plate step bumper with pintle hook recess.**

Option 10F. **Six - 2" deep full width 250 lbs. capacity free sliding tool drawers mounted approximately 1 ½" from top of compartment with approximately 2 ½" between trays in lieu of two shelves and dividers in one of the full height vertical compartments.**

Option 10G. **Two full length 250 lbs. capacity free sliding tool trays with metal dividers with slots on 4" centers with first tray mounted 5 ¼ " from bottom of compartment with approximately 1 ½" between trays with second tray mounted above first in lieu of shelf and dividers in one of the horizontal compartments.**

Option 10H. **One - full length (or from crane mounting point) 4" deep top opening compartment with release located inside side compartment, automatic up position latch and metal dividers with slots on 4" centers in addition to the standard tool compartments. The top opening compartment will not protrude more than 2" into side compartment (The side compartment shall be 27" from floor to top of side body plus excess for flip top compartment).**

Option 10I. **Minimum 25" high panel extension cover with minimum 42" locking rear doors which will provide a minimum 48" interior height for storage and work area.**

OPTIONAL EQUIPMENT ITEM # 10 – Continued

Option 10J. Body to have 3 section, tempered steel telescopic sliding roof and two piece, rigid aluminum, endgate cover to protect cargo area from weather and theft. A mechanical type seal will be placed on the telescopic sliding roof and endgate cover.

Option 10K. Crane mount reinforced rigidly while maintaining full compartment space on top rear corner of body either left or right for a 3500 lbs. capacity crane (with no mounting holes or bolt holes, we will drill to suit ourselves).

Option 10L. One - double bottle gas drop well with minimum 55" clearance height (for large bottle use) and retainers.

Option 10M. Heavy-duty 5 or 6 speed manual transmission in lieu of automatic transmission.

Option 10N. Heavy duty, Type V with a Type III adapter trailer hitch. Special equipment which includes weight distributing hitch platform and wiring harness for a 7 pin commercial truck connector.

Option 10O. Exterior color to be Federal Standard #595B "Highway Yellow" #13432.

Option 10P. Alternate diesel engine.

Option 10Q. Standard gasoline engine in lieu of diesel engine.

Option 10R. Alternate gasoline engine in lieu of diesel engine.

Option 10S. Automatic transmission power take-off provision.

Option 10T. Allison automatic transmission.

Option 10U. Snowplow package.

Option 10V. Crew cab in lieu of regular cab.

Option 10W. Extended cab in lieu of regular cab.

Option 10X. 2 Factory cab steps. (one on Drivers Side, one on Passenger side)

Option 10Y. Four wheel drive.

Option 10Z. Alternative fuel in lieu of diesel. Acceptable engines are: E-85 Flex Fuel or Hybrid Electric.

Option 10AA. Hydraulic system to run body, plow and spreader, shall be all electric power line control design. In cab control modules to plug into cigar lighter for power, no wiring shall connect the in cab modules to the hydraulic valve assembly, which will be in an enclosure. The only common wiring shall be power and ground.

Option 10BB. Provide hydraulics and controls for dump hoist only

Missouri Department of Transportation
Tabulation of Request 3-060810 2007 Light Duty Automotive
This is a Multiple Award For 3/4 Ton and above Trucks

	Gem City Ford/Knap MSRP (10%)	Lou Fusz Ford MSRP (8%)	Putnam Chevy/Knap MSRP (25%)	Don Brown Chevy/Knap MSRP	Automotive Rentals Chevy MSRP (Varies)	Carter Chevrolet Chevy/Omaha MSRP	Don Brown Auto Dodge MSRP (7%)
Item 10 - One Ton 15,000 GVWR Chassis Cabs with DRW/LWB							
ARO	**60 days**	**180-300**	**180 days**			**120 days**	
Base Unit	08-$30.093.00	08-$29360.00	07-$31,105.00	NB	NB	07-$32,242.00	NB
Option 10A	$2,484.00	$2,484.00	$2,484.00			$3,249.00	
Option 10B	$3,999.00	$3,999.00	$3,999.00			$4,625.00	
Option 10C	$603.00	$603.00	$712.00			$295.00	
Optoin 10D	$4,267.00	$4,267.00	$3,998.00			$3,135.00	
Option 10E	$4,873.00	$4,873.00	$4,994.00			$5,000.00	
Option 10F	$1,389.00	$1,389.00	$1,389.00			$1,000.00	
Option 10G	$502.00	$502.00	$502.00			$450.00	
Option 10H	$895.00	$895.00	$895.00			$1,985.00	
Option 10I	$3,064.00	$3,064.00	$3,064.00			$2,600.00	
Option 10J	$2,209.00	$2,209.00	$2,209.00			$1,300.00	
Option 10K	$898.00	$898.00	$898.00			$800.00	
Option 10L	$1,072.00	$1,072.00	$1,072.00			$345.00	
Option 10M	-$1,295.00	-$1,217.00	NA			NA	
Option 10N	$341.00	$341.00	$341.00			$400.00	
Option 10O	0 (Svc. Body - $160.00)	$544.00	$422.00			$250.00	
Option 10P	NB	NA	NA			$350.00	
Option 10Q	-$5,525.00	-$5,859.00	-$6,324.00			-$6,600.00	
Option 10R	NB	NA	NA			NA	
Option 10S	$210.00	$208.00	$190.00			$200.00	
Option 10T	NB	NA	INC			INC	
Option 10U	$0.00	$85.00	$971.00			$750.00	
Option 10V	$2,895.00	$3,129.00	$3,812.00			$450.00	
Option 10W	$1,850.00	NA	NA			NA	
Option 10X	$295.00	$307.00	INC			INC	
Option 10Y	$3,495.00	$3,547.00	$7,430.00			$6,000.00	
Option 10Z	NB	NA	NA			NA	
Option 10 AA	$2,120.00	$2,120.00	$2,120.00			$5,000.00	
Option 10BB	$650.00	$650.00	$650.00			$700.00	
Total							

INC = Standard or No Charge
N/A = Not Available